

CLINICAL AND EXPERIMENTAL IMMUNOLOGY

CONTENTS

Vol. 89 No. 1 July 1992

C. HALMA, M. R. DAHA & L. A. VAN ES: *In vivo* clearance by the mononuclear phagocyte system in humans: an overview of methods and their interpretation
W. EMLÉN, V. CARL & G. BURDICK: Mechanism of transfer of immune complexes from red blood cell CR1 to monocytes
P. E. RUUSKA, I. IKÄHEIMO, S. SILVENNOINEN-KASSINEN, M.-L. KÄÄR & A. TILIKAINEN: Normal C3b receptor (CR1) genomic polymorphism in patients with insulin-dependent diabetes mellitus (IDDM): is the low erythrocyte CR1 expression an acquired phenomenon?
P. CORNILLET, P. GREY, J. L. PENNAFORTE, O. MEYER, M. D. KAZATCHKINE & J. H. M. COHEN: Increased frequency of the long (S) allotype of CR1 (the C3b/C4b receptor, CD35) in patients with systemic lupus erythematosus
N. OGAWA, M. ITOH & Y. GOTO: Abnormal production of B cell growth factor in patients with systemic lupus erythematosus
S. RUSCHEN, W. STELLBERG & H. WARNATZ: Kinetics of cytokine secretion by mononuclear cells of the blood from rheumatoid arthritis patients are different from those of healthy controls
S. BARAKAT, O. MEYER, F. TORTEROTOT, P. YOUINOU, J. P. BRIAND, M. F. KAHN & S. MULLER: IgG antibodies from patients with primary Sjögren's syndrome and systemic lupus erythematosus recognize different epitopes in 60-kD SSA/Ro protein
W. G. SHATTLES, S. M. BROOKES, P. J. W. VENABLES, D. A. CLARK & R. N. MAINI: Expression of antigen reactive with a monoclonal antibody to HTLV-1 P19 in salivary glands in Sjögren's syndrome
A. MIYAZAKI, R. MIRAKIAN & G. F. BOTTAZZO: Adhesion molecule expression in Graves' thyroid glands; potential relevance of granule membrane protein (GMP-140) and intercellular adhesion molecule-1 (ICAM-1) in the homing and antigen presentation processes
N. SHIUBO, K. IMAI, S. AOKI, M. HIRASAWA, H. SUGAWARA, H. KOBAYASHI, M. TSUJISAKI, T. SUGIYAMA, Y. HINODA, A. YACHI, M. ASAKAWA & A. SUZUKI: Circulating intercellular adhesion molecule-1 (ICAM-1) antigen in sera of patients with idiopathic pulmonary fibrosis
K. KONTANI, O. TAGUCHI & T. TAKAHASHI: Involvement of the H⁺/K⁺-ATPase α subunit as a major antigenic protein in autoimmune gastritis induced by neonatal thymectomy in mice
H. KANNO, M. NOSE, J. ITOH, Y. TANIGUCHI & M. KYOGOKU: Spontaneous development of pancreatitis in the MRL/Mp strain of mice in autoimmune mechanism
R. CARMEL: Reassessment of the relative prevalences of antibodies to gastric parietal cell and to intrinsic factor in

patients with pernicious anaemia: influence of patient age and race
L. WEN, M. PEAKMAN, G. MIELI-VERGANI & D. VERGANI: Elevation of activated $\gamma\delta$ T cell receptor bearing T lymphocytes in patients with autoimmune chronic liver disease
M. PÉREZ-BLAS, J. R. REGUEIRO, J. RUIZ-CONTRERAS & A. ARNAIZ-VILLENA: T lymphocyte anergy during acute infectious mononucleosis is restricted to the clonotypic receptor activation pathway
K. E. NYE, G. A. RILEY & A. J. PINCHING: The defect seen in the phosphatidylinositol hydrolysis pathway in HIV-infected lymphocytes and lymphoblastoid cells is due to inhibition of the inositol 1,4,5-triphosphate 1,3,4,5-tetrakisphosphate 5-phosphomonoesterase
R. A. SCHEEREN, R. A. J. OOSTENDORP, S. VAN DER BAAN, R. M. J. KEEHNEN, R. J. SCHEPER & C. J. L. M. MEIJER: Distribution of retroviral p15E-related proteins in neoplastic and non-neoplastic human tissues, and their role in the regulation of the immune response
N. SHERON & R. WILLIAMS: IL-8 as a circulating cytokine: induction by recombinant tumour necrosis factor- α
Z. HMAMA, G. LINA, C. VINCENT, J. WIDENES, G. NORMIER, H. BINZ & J. P. REVILLARD: Monocyte cytokine secretion induced by chemically-defined derivatives of *Klebsiella pneumoniae*
P. W. ROCHE, K. D. NEUPANE & W. J. BRITTON: Cellular immune response to the cell walls of *Mycobacterium leprae* in leprosy patients and healthy subjects exposed to leprosy
A. H. HAJEER, J. WORTHINGTON, K. MORGAN & R. M. BERNSTEIN: Monoclonal antibody epitopes of mycobacterial 65-kD heat-shock protein defined by epitope scanning
R. APPELBERG: T cell regulation of the chronic peritoneal neutrophilia during mycobacterial infections
J. P. VENDRELL, F. PRATLONG, A. DECOSTER, P. BOULOT, A. M. CONGE, F. DARCY, M. SEGONDY, M. F. HUGUET & A. SERRE: Secretion of *Toxoplasma gondii*-specific antibody *in vitro* by peripheral blood mononuclear cells as a new marker of acute toxoplasmosis
R. BLASCO & V. RUIZ-GUTIERREZ: Effect of fatty acid anilides on immune responses of Swiss mice
S. EL ROUBY, Y. SHI & G. H. REEM: Comparison of the properties of the CsA analogs monoacetyl CyC (*o*-acetyl-threonine² cyclosporin) and methyl-alanyl CsA (*N*-methyl-L-alanyl⁶ cyclosporin); monoacetyl cyclosporin is immunosuppressive without binding to cyclophilin
B. REIPERT, CH. SCHEUCH, A. LUKOWSKY, P. REINKE, E. FIETZE, W. D. DÖCKE, S. CZERLINKSI, R. HETZER & H. D. VOLK: CD3⁺CD57⁺ lymphocytes are not likely to be involved in antigen-specific rejection processes in long-term allograft recipients

J. E. MING, R. M. STEINMAN & A. GRANELLI-PIPERNO: IL-6 enhances the generation of cytolytic T lymphocytes in the allogeneic mixed leucocyte reaction	148	R. SEGAL, A. GLOBERSON, H. ZINGER & E. MOZES: Induction of experimental systemic lupus erythematosus (SLE) in mice with severe combined immunodeficiency (SCID)	239
R. PERRICONE, N. PASETTO, C. DE CAROLIS, E. VAQUERO, E. PICCIONE, L. BASCHIERI & L. FONTANA: Functionally active complement is present in human ovarian follicular fluid and can be activated by seminal plasma	154	W. O. COOPER, R. A. FAVA, C. A. GATES, M. A. CREMER & A. S. TOWNES: Acceleration of onset of collagen-induced arthritis by intra-articular injection of tumour necrosis factor or transforming growth factor-beta	244
J. R. NAYLOR, S. R. JAMES & L. K. TREJDOSIEWICZ: Intracellular free Ca^{2+} fluxes and responses to phorbol ester in T lymphocytes from healthy elderly subjects	158	B. K. PELTON, W. HYLTON & A. M. DENMAN: Activation of IL-6 production by UV irradiation of blood mononuclear cells from patients with systemic lupus erythematosus	251
Vol. 89 No. 2 August 1992		N. LAHAT, A. Y. ZLOTNICK, R. SHTILLER, I. BAR & G. MERIN: Serum levels of IL-1, IL-6 and tumour necrosis factors in patients undergoing coronary artery bypass grafts or cholecystectomy	255
V. L. CALDER & S. L. LIGHTMAN: Experimental autoimmune uveoretinitis (EAU) versus experimental allergic encephalomyelitis (EAE): a comparison of T cell-mediated mechanisms	165	C. NINOMIYA & H. L. SPIEGELBERG: IL-4 and transforming growth factor- β suppress human immunoglobulin secretion <i>in vitro</i> by surface IgD ⁻ B cells	261
A. W. THOMSON: The spectrum of action of new immunosuppressive drugs	170	R. APPELBERG: Interferon-gamma (IFN- γ) and macrophage inflammatory proteins (MIP)-1 and -2 are involved in the regulation of the T cell-dependent chronic peritoneal neutrophilia of mice infected with mycobacteria	269
W. L. BAEDER, J. SREDY, S. N. SEHGAL, J. Y. CHANG & L. M. ADAMS: Rapamycin prevents the onset of insulin-dependent diabetes mellitus (IDDM) in NOD mice	174	R. J. FALK, M. BECKER, R. TERRELL & J. C. JENNETTE: Anti-myeloperoxidase autoantibodies react with native but not denatured myeloperoxidase	274
R. V. BUNDICK & R. P. EADY: The effects of CP 17193, an immunosuppressive pyrazoloquinoline, on the development of spontaneous lupus disease in NZBW F1 hybrid mice	179	J. GRUNEWALD, M. JEDDI-TEHRANI, H. DERSIMONIAN, R. ANDERSSON & H. WIGZELL: A persistent T cell expansion in the peripheral blood of a normal adult male: a new clinical entity	279
D. GOSSELIN, R. TURCOTTE & S. LEMIEUX: Cyclophosphamide treatment antagonizes the <i>in vitro</i> development of <i>Mycobacterium lepraemurium</i> -induced suppressor cell precursors	185	T. HARRER, B. WOLF, W. NÄGER, W. SCHWARZ, D. BERGNER & J. R. KALDEN: <i>In vitro</i> activation of peripheral mononuclear cells by zinc in HIV-infected patients and healthy controls	285
T. KUBOTA, G. R. FLENTKE, W. W. BACHOVCHIN & B. D. STOLLAR: Involvement of depeptidyl peptidase IV in an <i>in vivo</i> immune response	192	M. OHLIN, J. HINKULA, P.-A. BROLIDEN, R. GRUNOW, C. A. K. BORREBAECK & B. WAHREN: Human MoAbs produced from normal, HIV-1-negative donors and specific for glycoprotein gp120 of the HIV-1 envelope	290
F. PANDOLFI, L. TRENTIN, J. E. SAN MARTIN, J. T. WONG, J. T. KURNICK & R. A. MOSCICKI: T cell heterogeneity in patients with common variable immunodeficiency as assessed by abnormalities of T cell subpopulations and T cell receptor gene analysis	198	O. A. ERUNKULU, A. V. S. HILL, D. P. KWIATKOWSKI, J. E. TODD, J. IQBAL, K. BERZINS, E. M. RILEY & B. M. GREENWOOD: Severe malaria in Gambian children is not due to lack of previous exposure to malaria	296
J. A. RUMP, A. JAHREIS, M. SCHLESIER, R. DRÄGER, I. MELCHERS & H. H. PETER: Possible role of IL-2 deficiency for hypogammaglobulinaemia in patients with common variable immunodeficiency	204	A. BENDER & D. KABELITZ: Preferential activation of peripheral blood $V\gamma 9^{+} \gamma/\delta$ T cells by group A, B and C but not group D or F streptococci	301
P. AUKRUST, S. S. FRÖLAND & F. MÜLLER: Raised serum neopterin levels in patients with primary hypogammaglobulinaemia; correlation to other immunological parameters and to clinical and histological features	211	A. ELSAGHIER, C. PRANTERA, G. BOTHAMLEY, E. WILKINS, S. JINDAL & J. IVANYI: Disease association of antibodies to human and mycobacterial hsp70 and hsp60 stress proteins	305
A. LAMOUR, F. JOUEN-BEADES, O. LEES, D. GILBERT, X. LE LOET & F. TRON: Analysis of T cell receptors in rheumatoid arthritis: the increased expression of HLA-DR antigen on circulating $\gamma\delta^{+}$ T cells is correlated with disease activity	217	F.-X. DERAMOUT, C. GILARD, N. LEPINE, J.-M. ALONSO & J.-L. ROMET-LEMONNE: Bispecific anti-human red blood Rhesus-D antigen \times anti Fc γ RI targeted antibody-dependent cell-mediated cytotoxicity and phagocytosis by mononuclear leucocytes	310
T. HIDAKA, A. KITANI, M. HARA, M. HARIGAI, K. SUZUKI, Y. KAWAGUCHI, T. ISHIZUKA, M. KAWAGOE & H. NAKAMURA: IL-4 down-regulates the surface expression of CD5 on B cells and inhibits spontaneous immunoglobulin and IgM-rheumatoid factor production in patients with rheumatoid arthritis	223	S. JACKSON, Z. MOLDOVEANU, K. A. KIRK, B. A. JULIAN, T. F. PATTERSON, A. L. MULLINS, T. JILLING, J. MESTECKY & J. H. GALLA: IgA-containing immune complexes after challenge with food antigens in patients with IgA nephropathy	315
C. M. S. BROWN, C. LONGHURST, G. HAYNES, C. PLATER-ZYBERK, A. MALCOLM & R. N. MAINI: Immunoglobulin heavy chain variable region gene utilization by B cell hybridomas derived from rheumatoid synovial tissue	230	R. H. LAWRENCE & T. C. SORRELL: Decreased polymorphonuclear leucocyte chemotactic response to leukotriene B ₄ in cystic fibrosis	321

- M. HAZLEWOOD & D. S. KUMARARATNE: The spleen? Who needs it anyway? 327
- L. E. RÖNNBLÖM, E. TIENSUU JANSON, A. PERERS, K. E. ÖBERG & G. V. ALM: Characterization of anti-interferon- α antibodies appearing during recombinant interferon- α 2a treatment 330
- E. J. DERBYSHIRE, R. A. STAHEL & E. J. WAWRZYNCZAK: Potentiation of a weakly active ricin A chain immunotoxin recognizing the neural cell adhesion molecule 336
- A. BOLOGNESI, P. L. TAZZARI, C. TASSI, G. GROMO, M. GOBBI & F. STIRPE: A comparison of anti-lymphocyte immunotoxins containing different ribosome-inactivating proteins and antibodies 341
- A. A. NORRIS, D. M. JACKSON & R. P. EADY: Protective effects of cyclophosphamide, cyclosporin A and FK506 against antigen-induced lung eosinophilia in guinea-pigs 347
- A. KALINKOVICH, H. ENGELMANN, N. HARPAN, R. BURSTEIN, V. BARAK, I. KALICKMAN, D. WALLACH & Z. BENTWICH: Elevated serum levels of soluble tumour necrosis factor receptors (sTNF-R) in patients with HIV infection 351
- C. GRYLLIS, M. A. WAINBERG, Z. BENTWICH, M. GORNITSKY & B. G. BRENNER: Increased LAK activity against HIV-infected cell lines in HIV-1⁺ individuals 356
- D. I. GABRILOVICH, G. K. SHEPELEVA, L. V. SEREBROVSKAYA, L. A. AVDEEVA, Z. K. SUVOROVA, I. M. ROSLY, V. K. OGANEZOV, M. Z. SAIDOV, A. V. PANYUTICH & V. V. POKROVSKY: Mononuclear cells from HIV-infected patients produce factors which enhance functional activity of polymorphonuclear neutrophils from healthy subjects 362
- P. N. FOSTER & L. K. TREJDOSIEWICZ: Impaired proliferative responses of peripheral blood B cells from splenectomized subjects to phorbol ester and ionophore 369
- H. GRIFFITHS, J. LEA, C. BUNCH, M. LEE & H. CHAPEL: Predictors of infection in chronic lymphocytic leukaemia (CLL) 374
- G. P. LUCAS, C. L. CAMBIASO & J. P. VAERMAN: Characterization of an anti-idiotypic MoAb bearing an internal image of the receptor-binding epitope of cholera toxin 378
- R. KELLER, J. E. GUSTAFSON & R. KEIST: The macrophage response to bacteria. Modulation of macrophage functional activity by peptidoglycan from *Moraxella* (*Branhamella*) *catarrhalis* 384
- S. GALANDIUK, S. APPEL, J. PIETSCH, J. OLDFATHER & H. C. POLK: Regional cellular responses to intraperitoneal infection 390
- A. VERBON, R. A. HARTSKEERL, C. MORENO & A. H. J. KOLK: Characterization of B cell epitopes on the 16K antigen of *Mycobacterium tuberculosis* 395
- S. DAS, S. H. CHENG, D. B. LOWRIE, K. B. WALKER, D. A. MITCHISON, R. S. VALLISHAYEE & P. R. NARAYANAN: The pattern of mycobacterial antigen recognition in sera from Mantoux-negative individuals is essentially unaffected by bacille Calmette-Guérin (BCG) vaccination in either South India or London 402
- P. T. SOBOSLAY, C. M. DREWECK, W. H. HOFFMAN, C. G. K. LÜDER, C. HEUSCHKEL, H. GÖRGEN, M. BANLA & H. SCHULZ-KEY: Ivermectin-facilitated immunity in onchocerciasis. Reversal of lymphocytopenia, cellular anergy and deficient cytokine production after single treatment 407
- T. PANPANICH, T. HEMACHUDHA, S. PIYASIRISILP, S. MANATSATHIT, H. WILDE & P. PHANUPHAK: Cells with natural killer activity in human rabies 414
- A. PECHÈRE-BERTSCH, L. PERRIN, P. DE SAUSSURE, J. J. WIDMANN, E. GIOSTRA & J. A. SCHIFFERLI: Hepatitis C: a possible etiology for cryoglobulinaemia type II 419
- J. HASSAN, C. FEIGHERY, B. BRESNIHAN & A. WHELAN: Prevalence of anti-Fab antibodies in patients with autoimmune and infectious diseases 423
- E. HERMANN, A. W. LOHSE, W. J. MAYET, R. VAN DER ZEE, W. VAN EDEN, P. PROBST, T. PORALLA, K.-H. MEYER ZUM BÜSCHENFELDE & B. FLEISCHER: Stimulation of synovial fluid mononuclear cells with the human 65-kD heat shock protein or with live enterobacteria leads to preferential expansion of TCR- $\gamma\delta^+$ lymphocytes 427
- S. J. THOMPSON, Y. HITSUMOTO, Y. W. ZHANG, G. A. W. ROOK & C. J. ELSON: Agalactosyl IgG in pristane-induced arthritis. Pregnancy affects the incidence and severity of arthritis and the glycosylation status of IgG 434
- R. M. RODRIGUEZ, C. PITZALIS, G. H. KINGSLEY, E. HENDERSON, M. J. HUMPHRIES & G. S. PANAYI: T lymphocyte adhesion to fibronectin (FN): a possible mechanism for T cell accumulation in the rheumatoid joint 439
- L. JANSSON & R. HOLMDAHL: Oestrogen-induced suppression of collagen arthritis; 17 β -oestradiol is therapeutically active in normal and castrated F1 hybrid mice of both sexes 446
- A. BANSAL, T. ROBERTS, E. M. HAY, R. KAY, R. S. H. PUMPHREY & P. B. WILSON: Soluble CD23 levels are elevated in the serum of patients with primary Sjögren's syndrome and systemic lupus erythematosus 452
- R. VERHEIJEN, B. A. W. DE JONG & W. J. VAN VENROOIJ: A recombinant topoisomerase I ELISA: screening for IgG, IgM and IgA anti-topo I autoantibodies in human sera 456
- J.-G. GUILLET, R. LENGAGNE, Y. MAGNUSSON, K. TATE, A. D. STROSBURG, J. HOEBEKE: Induction of a pharmacologically active clonotypic B cell response directed to an immunogenic region of the human β_2 -adrenergic receptor 461
- N. TANDON, M. A. FREEMAN & A. P. WEETMAN: T cell responses to synthetic TSH receptor peptides in Graves' disease 468
- J. ZEROMSKI, M. BAGNASCO, F. PAOLIERI & G. DWORACKI: Expression of CD56 (NKH-1) differentiation antigen in human thyroid epithelium 474
- H. OHI, S. WATANABE, T. FUJITA & T. YASUGI: Significance of C3 nephritic factor (C3NeF) in non-hypocomplementaemic serum with membranoproliferative glomerulonephritis (MPGN) 479
- R. WÜRZNER, N. RANCE, P. C. POTTER, M. L. HENDRICKS, P. J. LACHMANN & A. ORREN: C7 M/N protein polymorphism typing applied to inherited deficiencies of human complement proteins C6 and C7 485
- T. HARA, S. KURIYAMA, H. KIYOHARA, Y. NAGASE, M. MATSUMOTO & T. SEYA: Soluble forms of membrane cofactor protein (CD46, MCP) are present in plasma, tears, and seminal fluid in normal subjects 490
- A. E. FALCONER, P. S. FRIEDMANN, P. BIRD & J. E.

CALVERT: Abnormal immunoglobulin G subclass production in response to keyhole limpet haemocyanin in atopic patients	495	H. S. I. ANTILA, S. REITAMO, M. CESKA & M. HURME: Signal transduction pathways leading to the production of IL-8 by human monocytes are differentially regulated by dexamethasone	509
R. JEFFERIS: Standardization: who wants it?	500		
A. SODHI & A. SURESH: Production of reactive nitrogen intermediates by bone marrow-derived macrophages on treatment with cisplatin <i>in vitro</i>	502		

